

深圳市兴万家五金制品有限公司
 深圳市龙岗区布吉街道京地路 105 号锦龙大厦东 406

样品描述 : 三节隐藏式滑轨
 款号 : XJ-330-02
 型号 : XJ-330-02
 商品编号 : XJ-330-02
 客户参考信息 : 款号: XJ-330-01/XJ-330-05/XJ-003-06
 型号: XJ-330-01/XJ-330-05/XJ-003-06
 商品编号: XJ-330-01/XJ-330-05/XJ-003-06
 原产国 : 中国


以上样品及信息由客户提供及确认, SGS 不承担证实客户提供信息的准确性、适当性、可靠性和(或)完整性责任。

收样日期 : 2021 年 08 月 28 日
 检测日期 : 2021 年 08 月 31 日至 2021 年 09 月 10 日
 执行检测 : 按申请者要求进行检测

测试结果总结

编号	测试要求	测试结果	备注
1	参照 EN 15338:2007+A1:2010 条款 6.3.8 的滑轨耐久性测试	符合	/
详细的测试结果请看附页			

通标标准技术服务有限公司顺德分公司
 授权代表签署



梁兆禹
 授权签字人

扫码查看在线报告



SDHL2108015960FT

此报告结果仅对测试样品负责



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shunde Branch Headquarters

1/F, 1st Building, European Industrial Park, No.1 Shunde South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn
 中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号楼首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

检测和结果

检测依据第 1 部分:

参照 EN 15338:2007+A1:2010 条款 6.3.8 的滑轨耐久性测试和客户的要求。

样品数量:

1 副。如果了解更多的样品信息和图片, 请查看下述的样品信息页。

检测项目方法和要求	检测结果
<p>耐久性测试</p> <p>承载能力: 30 kg 循环次数: 80000次 测试频率: 每分钟4至15次</p> <p>要求: 测试后, 可延伸零件不得出现功能丧失的情况。当加载容量少于 40 kg 时, 其操作力不得大于 50 N; 当加载容量不小于 40 kg 时, 其操作力不得超过加载容量的 12.5%。</p>	<p>符合</p>

备注:

1. 承载能力 30 kg (包含测试抽屉的重量) 和循环次数 80000 次均由申请者指定;
2. 测试抽屉尺寸是 545 mm 宽 x 410 mm 长 x 120 mm 高;
3. 客户声称在第一页客户参考信息中显示的产品款号/型号/商品编号与被测款号/型号/商品编号 XJ-330-02 同材质;
4. 本报告是编号为 SDHL2108015958FT 英文检测报告的中文译本, 如有歧义, 以英文版本为准;
5. 检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的, 仅供内部参考;
6. 测试样品信息和图片请看下页。



样品信息和图片

重量: 857.09 g/件

尺寸: 408 mm 长

其他尺寸: /

样品图片




图 1




图 2



图 3




图 4

报告结束

