



Test Report

No.SDHL2108015962FT

Date: Sep 10, 2021

Page 1 of 3

BESTHOME MATERIAL INDUSTRIAL CO.,LTD
406, JINLONG BUILDING, NO 105 JINGNAN ROAD, BUJI STREET, LONGGANG AREA, SHENZHEN, CHINA

Sample Description : CONCEALED SINGLE-EXTENSIION SLIDE
Style No. : XJ-230-05A
Item No. : XJ-230-05A
SKU No. : XJ-230-05A
Client Reference Information : Style No.: XJ-230-03A/XJ-230-08A/XJ-230-09A
Item No.: XJ-230-03A/XJ-230-08A/XJ-230-09A
SKU No.: XJ-230-03A/XJ-230-08A/XJ-230-09A
Country of Origin : CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : Aug 28, 2021
Test Performing Date : Aug 31, 2021 to Sep 10, 2021
Test Performed : Selected test(s) as requested by applicant

Test Result Summary

Table with 4 columns: No., Test(s) Requested, Result(s), Comments. Row 1: 1, Slide durability test with reference to clause 6.3.8 of EN 15338:2007+A1:2010, PASS, /

For further details, please refer to the following page(s)

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Handwritten signature: Marco Leung

Marco Leung
Authorized Signatory

scan to see the report



SDHL2108015962FT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shunde Branch Hatunimes

1/F, 1st Building, European Industrial Park, No.1 Shunde South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

TESTS AND RESULTS

Test Conducted:

Slide durability test with reference to clause 6.3.8 of EN 15338:2007+A1:2010

No. of Sample:

1 pair. For more sample information and pictures, please refer to the following page.

Test and Requirements	Test Results
<p>6.3.8 Durability test</p> <p>Load capacity: 25 kg Cyclic number: 80,000 cycles Rate: 4 to 15 cycles per minute</p> <p>Requirement: The extension element shall fulfil its function and When the loading capacity is less than 40 kg, the opening and closing forces determined shall not exceed 50 N, When the loading capacity is not less than 40 kg, the opening and closing forces determined shall not exceed 12,5 % of the loading capacity.</p>	<p>PASS</p>

Remark:

1. The cyclic number - 80,000 cycles and load capacity - 25 kg (including the weight of the testing drawer) were specified by applicant;
2. The dimension of testing drawer is 545 mm (W) x 410 mm (L) x 120 mm (H);
3. According to client's statements, the tested Style/Item/SKU No. XJ-230-05A is identical to the Style/Item/SKU No. as stated in "Client Reference Information" column on the first page;
4. For the sample information and pictures, please refer to the following page.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SAMPLE INFORMATION AND PICTURES

Weight: 552.03 g/piece


Overall Dimensions: 410 mm L

Other Dimensions: /


Sample as Received




View 1



View 2



View 3



View 4

End of Report

